


# Agroforestry in the Semi-arid Sahel of Africa

## How trees help farmers improve their livelihoods



Steven Franzel, World Agroforestry  
Advancing Agroforestry in the Southwest, June 4-6, 2019.



## Outline

- A few words about World Agroforestry
- Introduction to the Sahel
- The farm households and their livelihood strategies
- Their challenges
- Agroforestry practices
- The way forward




# World Agroforestry

- World Agroforestry (ICRAF) is a non-profit center of science and development excellence that harnesses the benefits of trees for people and the environment.
- With HQ in Nairobi, Kenya, we have staff in 30 countries across the tropics



# The Sahel



## The land in the Sahel

- Flat to slightly sloping terrain, 100 to 1000 ft altitude
- 94% of cultivated land is rainfed; Rainfall 8-24 inches/yr
- One rainy season/yr, 2-3 months long
- Poor soils, low in C,N,P, susceptible to erosion
- Climate change is reducing temperatures and rainfall



## The people

- 60-70% rely on farming
- Literacy rates around 40%
- 50-70% earning less than \$2/day (below int'l poverty line)
- 60-80% of adults have cell phones



## Livelihood strategies: Crops + livestock + trees



Providing food for the household is the main priority in this risky environment



## Why do farmers practice agroforestry?

Trees contribute 23% to 72% of farmers' incomes:

- Products for home consumption: fuelwood, poles, timber; fruits, leaves and other food products; medicines
- Products for sale: all of the above plus gums, resins, nuts
- Products for livestock: pods, leaves, leafy branches for feeding which in turn increase milk and manure production
- Services to crops: water and soil conservation, soil nutrient additions, shade, windbreaks, fences
- Others: boundary demarcation, aesthetics

## Integrate traditional knowledge with science: 2 examples

- Improving indigenous fruit trees, such as *Ziziphus mauritiana*.



## Farmer Managed Natural Regeneration (FMNR)

- Definition: allowing useful trees to grow and managing them to meet needs
- Example of *Faidherbia albida*





## **The Faidherbia halo effect**

- **Microclimate buffering**
- **Soil fertility improvement**

## The Important Shea Tree (*Vittelaria paradoxa*)



Transforming Shea nuts to make beauty soap and creams:

A \$60 million dollar per year industry



Gum Arabic, collected from *Senegalia senegal* trees, is widely used in industry, valued at 60 million dollars.



Solidified sap



More than just a nice postcard, Baobab (*Adansonia digitate*) provides:

- nutrient rich leaves and fruit
- nutrient rich leaf litter



Managing *Jatropha curcas*, the seed of which is sold on contract to private companies for biofuel production



Fodder shrubs for increased milk production: *Gliricidia sepium*, *Pterocarpus erinaceus* and *P. lucens*.



Live fences replacing dead fences: *Euphorbia* Spp., *Ziziphus mauritiana*



## Sustainable water management

- Contours and cut-off ditches, half-moon shaped earthen bunds, reinforced with stones serve as micro-catchments basins to reduce water runoff and erosion.
- Associating trees with these structures increases water retention and harvesting of scarce rainfall by channelling run-off into the basins around the trees.



## Concluding statements

- But it is not just about technologies. Improving policies and institutional arrangements are also critical, e.g.
- Strengthening national research and extension
- Land tenure policy
- Improving access to business services such as credit, insurance and climate information
- Organizing producer organizations for collective marketing



## The way forward

Implementation approaches needed that:

- Are bottom-up, demand-driven
- Are market-oriented
- Strengthen local institutions, e.g. producer organizations, research and extension
- Are climate smart, helping farmers adapt to climate change
- Use Public-Private-Partnerships for high priority tree products
- Leverage cell phones as
  - a business tool for farmers
  - a means of acquiring information

